FB12CX32 8 Ω

SPECIFICATIONS

Nominal Impedance	**8 Ω**
Crossover Frequency	**1.8 kHz**
Filter Type	**Two Way**
Slope	**12 - 12 dB/oct**
Overall Dimensions	**108x97 mm (4.25x3.82 in)**


MOUNTING AND SHIPPING INFO


Net Weight	**0.35 kg (0.77 lb)**
Shipping Units	**1 pcs**
Shipping Weight	**0.38 kg (0.84 lb)**
Shipping Box	**120x125x35 mm (4.72x4.92x1.38 in)**

POTENTIAL APP. COAXIALS

12CX32	**8Ω**


Dedicated crossover network for 12CX32 coaxial speaker






B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

FB12CX32 8 Ω



B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

FB12CX32 8 Ω



B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com