FBCLX64 8 Ω

SPECIFICATIONS


Nominal Impedance	**8 Ω**
Crossover Frequency	**1.7 kHz**
Filter Type	**Two Way**
Slope	**24 - 12 dB/oct**
Overall Dimensions	**173x120 mm (6.81x4.72 in)**

MOUNTING AND SHIPPING INFO

Net Weight	**0.64 kg (1.41 lb)**
Shipping Units	**1 pcs**
Shipping Weight	**0.68 kg (1.5 lb)**
Shipping Box	**180x130x55 mm (7.1x5.1x2.2 in)**

POTENTIAL APP. COAXIALS


12CLX64	**8Ω**




Dedicated crossover network for 12CLX64 coaxial speaker and CX12.64 suggested design

B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

FBCLX64 8 Ω





B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

FBCLX64 8 Ω

B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com