ME75


SPECIFICATIONS

Horn mounted on B&C DE 750 compression driver.

Throat Diameter	**50 mm (2 in)**
Nominal Coverage Horizontal	**90 °**
Nominal Coverage Vertical	**40 °**
Cutoff Frequency	**0.5 kHz**
Material	**Cast Aluminium**
Design	**Constant Directivity**
Dimensions	**435x268x230 mm (17.2x10.5x9 in)**

MOUNTING AND SHIPPING INFO


Net Weight	**2.7 kg (5.9 lb)**
Shipping Units	**1 pcs**
Shipping Weight	**3.5 kg (7.7 lb)**
Shipping Box	**450x280x260 mm (17.7x11x10.2 in)**




2” aluminium constant directivity horn
90°x 40° nominal coverage

B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

ME75





B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

ME75

