ME90

SPECIFICATIONS

Horn mounted on B&C DE900 compression driver.

Throat Diameter	**36 mm (1.4 in)**
Nominal Coverage Horizontal	**80 °**
Nominal Coverage Vertical	**60 °**
Cutoff Frequency	**0.9 kHz**
Material	**Cast Aluminium**
Dimensions	**270x270x138 mm (10.6x10.6x5.4 in)**

MOUNTING AND SHIPPING INFO


Baffle Cutout Dimension	**225 mm (8.86 in)**
Air Volume Occupied by Driver	**0.42 dm^3 (0.01 ft^3)**
Net Weight	**1.45 kg (3.19 lb)**
Shipping Units	**1 pcs**
Shipping Weight	**2.05 kg (4.52 lb)**
Shipping Box	**295x314x175 mm (11.61x12.36x6.89 in)**




- 1.4" throat entry
- 80° x 60° nominal coverage
- Constant Directivity
- Excellent loading down to 900 Hz

B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com


ME90






B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

ME90





B&C Speakers S.p.A. Via Poggiomoro, 1 - Loc. Vallina, 50012 Bagno a Ripoli (FI) | ITALY
Tel. +39 055 65721 | Fax +39 055 6572312 | mail@bcspeakers.com

ME90

