PR 4093

9 INPUTS, 3 OUTPUTS PREAMPLIFIER



Description

PR 4093 has been designed to provide a flexible solution for paging and music application in PA systems. It offers 6 balanced inputs mic/line with PHANTOM facility, the first of them with priority triggered by VOX circuit. In addition, 3 stereo input on RCA connectors are available. Outputs offer different functionalities, included tone control on front panel, dedicated mixing of inputs 1-6 e connection to recording devices.

Features

- 6balanced XLR inputs with MIC/LINE sensibility and selectable PHANTOM power
- 3 stereo inputs on RCA connectors
- SIGNAL presence LED for each input
- Priority function on input 1, activatable through VOX circuit
- 1 XLR stereo output with tone control LOW, MID, HIGH on front panel
- 1 MONO output on ¼'' jack connnector
- 1 MIC output on ¼'' jack connnector
- Connection to recording device on RCA connectors
- LED output level indicator
- 230V AC functioning and 24V DC emergency power supply

Part Number


17100003	PR 4093	220-240 V	Black	EAN 8024530013677
17100007	PR 4093	115 V	Black	EAN 8024530015367


Products are continually improved. All specifications are therefore subject to change without notice.


PR 4093

9 INPUTS, 3 OUTPUTS PREAMPLIFIER

Line Art 2D







TECHNICAL SPECIFICATIONS

Audio performance	Frequency Response (-3dB)	20 Hz - 22 kHz
	Crosstalk (on the whole bandwitch)	<-68 dB
	Distortion (THD+N) @ 1 kHz nominal power	<0.03 %
Input section	Total number of inputs	9
	Balanced	6
	Unbalanced	3
	Mono	6
	Stereo	3
	Line inputs	3
	Line connectors	RCA
	Mic+Line inputs	6
	Mic+Line connectors	XLR
	Mic+Line Phantom	18 V DC - 21 V DC
	VOX	Yes
Output section	Signal output number	3
	Signal output connectors	JACK, RCA, XLR
Processing	Tone controls	Yes
Controls	Configuration	Front panel
Protections	Cooling	Convection

PR 4093

9 INPUTS, 3 OUTPUTS PREAMPLIFIER

Power requirement	Operating voltage	220-240/115 V~ 50/60Hz
	Voltage selection	Internal
	DC power	Yes
	DC power value	24 V
	Power consumption	18 W
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Metal
	Color	Black
	Rack mounting	19", 1U
Size / Weight	Height	44 mm / 1.73 inches
	Width	483 mm / 19.02 inches
	Depth	195 mm / 7.68 inches
	Weight	2.8 kg / 6.17 lbs