X 08

TWO-WAY PROFESSIONAL SPEAKER



Description

X 08 is a two-way professional speaker designed for a wide range of fixed indoor and outdoor installations requiring high audio quality and extreme durability. Thanks to the 8"woofer and the 1.75" voice coil PKX compression driver, it delivers powerful, clear sound with constant 100° x 100° coverage. The cabinet is made of high-density polyurethane, while the aluminum grille guarantees protection from dust and rain, thanks to a waterproof fabric layer. A bracket for horizontal installation is included; a dedicated accessory is available for vertical installation. EN 54-24:2008 technical data available in the user manual.

Features

- 400 W RMS power handling
- 128 dB max SPL
- 70 - 20000 Hz frequency range
- 100° x 100° constant directivity coverage angle
- 8" neo woofer, 2.5'' v.c.
- 1.75" v.c. PKX/Neo compression driver
- Polyurethane cabinet / aluminum grille
- IP55 protection grade
- 4 pole barrier strip terminals
- Horizontal bracket included


Part Number

13100105	X 08	Black - RAL 9005	EAN 8024530024208
13100127	X 08 W	White - RAL 9003	EAN 8024530025465

X 08

TWO-WAY PROFESSIONAL SPEAKER

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	70 Hz - 20000 Hz
	Max SPL @ 1m	128 dB
	Horizontal coverage angle	100°
	Vertical coverage angle	100°
Power section	Amplification	Full Range
	Nominal Impedance	8 ohm
	Power Handling	400 W RMS
	Peak Power Handling	1600 W PEAK
	Protections	Dynamic Active Mosfet
	Crossover Frequencies	2000 Hz
Transducers	Compression Driver	1 x 1.0'' neo, 1.75'' v.c
	Woofer	1 x 8'' neo, 2.5'' v.c
Input/Output section	Input connectors	Screw Terminals
	Output connectors	Screw Terminals
Standard compliance	IP protection grade	IP 55
	Safety agency	CE compliant
	EN54-24 certified	Yes
	CPR number	0068-CPR-254/2026
Physical specifications	Cabinet/Case Material	Structural Polyurethane
	Hardware	Horizontal bracket included 2 x M10 (top-bottom) 2 x M10 (sides)
	Grille	Aluminum with water-repellent protection
	Color	Black - RAL 9005, White - RAL 9003

X 08

TWO-WAY PROFESSIONAL SPEAKER

Size / Weight	Height	260 mm / 10.24 inches
	Width	436 mm / 17.17 inches
	Depth	251 mm / 9.88 inches
	Weight	9.95 kg / 21.94 lbs

ACCESSORIES

Rigging / Mounting

VERTICAL BRACKETS

13360644	VBR60644		EAN 8024530023997
13360788	VBR60788	White - RAL 9003	EAN 8024530025410