X 28L

TWO-WAY LINE ARRAY MODULE



Description

X 28L is a line array module designed for fixed indoor and outdoor installations requiring high audio quality and extreme durability. Thanks to the two 8'' woofers and the 3'' titanium-dome compression driver, it delivers powerful, clear sound with a constant 110° x 20° directivity. The cabinet is made of high-density polyurethane, while the aluminum grille guarantees protection from dust and rain, thanks to a waterproof fabric layer. X 28L is equipped with array mechanics that allow angle adjustment between modules from 0° to 20° with 2° steps. Up to 16 modules can be connected to the same fly bar. EN 54-24:2008 technical data available in the user manual.

Features

› 800 W RMS power handling
› 140 dB max SPL
› 50 - 20000 Hz frequency range
› 110° x 20° constant directivity coverage angle
› 2 x 8" neo woofer, 2.5'' v.c.
› 3.0" v.c. Titanium Neo compression driver
› Polyurethane cabinet / aluminum grille
› IP55 protection grade
› 4 pole barrier strip terminals

Part Number


13100107	X 28L	Black - RAL 9005	EAN 8024530024260
13100128	X 28L W	White - RAL 9003	EAN 8024530025472

Products are continually improved. All specifications are therefore subject to change without notice.

X 28L

TWO-WAY LINE ARRAY MODULE

Line Art 2D



TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response (-10dB)	50 Hz - 20000 Hz
	Max SPL @ 1m	140 dB
	Horizontal coverage angle	110°
	Vertical coverage angle	20°
Power section	Amplification	Full Range
	Nominal Impedance	8 ohm
	Power Handling	800 W RMS
	Peak Power Handling	3200 W PEAK
	Protections	Dynamic active mosfet
	Crossover Frequencies	750 Hz
Transducers	Compression Driver	1 x 1.4'' neo, 3.0'' v.c
	Woofer	2 x 8'' neo, 2.5'' v.c
Input/Output section	Input connectors	Screw Terminals
	Output connectors	Screw Terminals
Standard compliance	IP protection grade	IP 55
	Safety agency	CE compliant
	EN54-24 certified	Yes
	CPR number	0068-CPR-254/2026
Physical specifications	Cabinet/Case Material	Structural Polyurethane
	Hardware	Array fittings
	Grille	Aluminum with water-repellent protection
	Color	Black - RAL 9005, White - RAL 9003

X 28L

TWO-WAY LINE ARRAY MODULE

Size / Weight

Height	290 mm / 11.42 inches
Width	658 mm / 25.91 inches
Depth	378 mm / 14.88 inches
Weight	24 kg / 52.91 lbs

Rigging / Mounting

ACCESSORIES

FLY BAR EXTENSION

13360670	FLB60670	Black - RAL 9005	EAN 8024530024307
13360791	FLB60791	White - RAL 9003	EAN 8024530025441

FLY BARS

13360666	FLB60666	Black - RAL 9005	EAN 8024530024291
13360789	FLB60789	White - RAL 9003	EAN 8024530025427

FLY BARS LIGHT

13360669	FLB60669	Black - RAL 9005	EAN 8024530024284
13360790	FLB60790	White - RAL 9003	EAN 8024530025434